Table 2. Number, incidence rate ¹, median days away from work ² and relative standard errors ³ of occupational injuries and illnesses involving days away from work ⁴ to selected parts of body with musculoskeletal disorders ⁵ in selected ownerships for Indiana, 2003

Ownership	Part of body affected	Total Cases	Incidence Rate	Median Days	Relative Standard Error
Private industry	All Parts	11,060	55.2	9	4.4
Local government	All Parts	1,150	57.7	5	13.8
State government	All Parts	350	33.0	7	21.0
Private industry	1 Neck- Including Throat	250	1.2	7	14.6
Private industry	10 Neck- except internal location of diseases or disorde	250	1.2	7	14.6
Private industry	2 Trunk	7,790	38.9	7	4.6
Private industry	21 Shoulder- including clavicle- scapula	1,830	9.1	11	6.5
Private industry	22 Chest- including ribs- internal organs	60	0.3	5	28.7
Private industry	220 Chest- except internal location of diseases or disor	60	0.3	5	28.7
Private industry	23 Back- including spine- spinal cord	4,480	22.3	6	5.1
Private industry	230 Back- including spine- spinal cord- unspecified	2,190	10.9	5	6.1
Private industry	231 Lumbar region	1,520	7.6	9	6.9
Private industry	232 Thoracic region	250	1.2	5	14.7
Private industry	233 Sacral region	450	2.2	9	11.2
Private industry	238 Multiple back regions	70	0.3	8	26.4
Private industry	24 Abdomen	990	4.9	16	8.1
Private industry	240 Abdomen- except internal location of diseases or d	170	0.8	7	17.4
Private industry	241 Internal abdominal location- unspecified	220	1.1	21	15.6
Private industry	245 Intestines- peritoneum	580	2.9	16	10.0
Private industry	2450 Intestines- peritoneum- unspecified	580	2.9	16	10.0
Private industry	25 Pelvic region	400	2.0	3	11.8
Private industry	251 Hip(s)	50	0.2	1	30.5
Private industry	254 Groin	340	1.7	3	12.7
Private industry	28 Multiple trunk locations	20	0.1	9	56.0
Private industry	3 Upper extremities	1,410	7.0	16	7.1
Private industry	31 Arm(s)	400	2.0	16	11.8
Private industry	310 Arm(s)- unspecified	130	0.6	25	20.0
Private industry	311 Upper arm(s)	90	0.4	18	24.4
Private industry	312 Elbow(s)	160	0.8	7	18.2
Private industry	32 Wrist(s)	820	4.1	17	8.7
Private industry	33 Hand(s)- except finger(s)	70	0.3	16	27.0
Private industry	34 Finger(s)- fingernail(s)	70	0.3	13	27.6
Private industry	38 Multiple upper extremities locations	50	0.2	9	31.4

See footnotes at end of table

Table 2. Number, incidence rate ¹, median days away from work ² and relative standard errors ³ of occupational injuries and illnesses involving days away from work ⁴ to selected parts of body with musculoskeletal disorders ⁵ in selected ownerships for Indiana, 2003 -- Continued

0.2 4.7 3.2 2.8	5 8 13	37.0 8.2
4.7 3.2 2.8	8	
3.2 2.8	_	9.2
2.8	13	0.2
-	10	9.6
	14	10.2
0.2	4	31.7
1.3	4	14.2
3.1	9	9.7
44.2	5	14.2
12.5	5	18.0
28.6	6	15.1
15.6	6	17.1
10.5	7	18.9
2.0	3	34.4
1.0	2	52.7
5.5	5	23.7
3.5	4	27.4
3.5	6	27.2
3.0	10	29.6
2.5	12	32.9
3.0	5	28.9
22.7	7	22.1
7.6	14	27.7
	2.5 3.0 22.7	2.5 12 3.0 5 22.7 7

See footnotes at end of table

Table 2. Number, incidence rate ¹, median days away from work ² and relative standard errors ³ of occupational injuries and illnesses involving days away from work ⁴ to selected parts of body with musculoskeletal disorders ⁵ in selected ownerships for Indiana, 2003 -- Continued

Ownership	Part of body affected	Total Cases	Incidence Rate	Median Days	Relative Standard Error
State government State government	23 Back- including spine- spinal cord	120	11.3	5	25.2
	231 Lumbar region	70	6.6	4	28.8
	3 Upper extremities	50	4.7	16	32.1
	8 Multiple Body Parts	30	2.8	30	37.7

 $^{^{1}}$ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N / EH) X 20,000,000 where,

N = number of injuries and illnesses,

EH = total hours worked by all employees during the calendar year,

20,000,000 = base for 10,000 full-time equivalent workers (working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that do not meet publication guidelines or data for incidence rates less than .05 per 10,000 full-time workers. The scientifically selected probability sample used was one of many possible samples, each of which could have produced different estimates. A measure of sampling variability for each estimate is available upon request.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, May 26, 2006

² Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved less days than a specified median. Median days away from work are represented in actual values.

Relative standard errors are a measure of the sampling error of an estimate. Sampling errors occur because observations are made on a sample, not on the entire population. Estimates based on the different possible samples of the same size and sample design could differ. Relative standard errors less than 0.05 are not shown.

Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

⁵ Includes cases where the nature of injury is: sprains, strains, tears; back pain, hurt back; soreness, pain, hurt, except back; carpal tunnel syndrome; hernia; or musculoskeletal system and connective tissue diseases and disorders and when the event or exposure leading to the injury or illness is: bodily reaction/bending, climbing, crawling, reaching, twisting; overexertion; or repetition. Cases of Raynaud's phenomenon, tarsal tunnel syndrome, and herniated spinal discs are not included. Although these cases may be considered MSD's, the survey classifies these cases in categories that also include non-MSD cases.